# Hazardous Materials Responder Awareness Level PRACTICE TEST PRACTICE TEST Instructions

The following instructions are for the performance evaluation for the *Hazardous* 

Materials Responder at the Awareness Level. The performance evaluation is divided into four parts.

Each part must be completed for satisfactory performance.

Parts I and II requires the use of the Emergency Response Guidebook, 2004 or 2008 Edition.

Part III involves the use of a MSDS (Material Safety Data Sheet) enclosed in Part III.

Part IV involves the use of Shipping Papers enclosed in part IV.

The Hazardous Materials Awareness Level performance exam is a timed test. The Candidate must complete the test in twenty (20) minutes or less.

# All answers must be spelled correctly and legible!

# You have 20 minutes to complete all four parts.

The test monitor will tell you when to begin.

## DO NOT MARK IN THIS TEST BOOKLET!

**USE THE ANSWER SHEET PROVIDED.** 

### **PART I**

Given the following written scenario and an Emergency Response Guidebook 2004 or 2008 Edition, answer the multiple-choice questions using the provided appropriate Answer sheet.

NOTE: There are four multiple choice questions on the first two parts of the test versions used by GFSTC. This test is for practice only.

# $\begin{array}{c} \text{Hazardous Materials Scenario} \\ \text{\#1} \end{array}$

#### For the

At 9:00 a.m. you receive an alarm at a manufacturing plant. You arrive on the scene at 9:15 a.m. Upon arrival you note that a tanker truck has backed into a parked car while attempting to maneuver to a loading dock. There is no visible fire and appears to be minimal damage to the tanker. However, there is a leak around the rear of the tanker. From a distance, you observe a placard on the side of the trailer like the one shown below.



Given the situation above and using an Emergency Response Guidebook, answer the following questions:

- 1) According to the Emergency Response Guidebook (2004, or 2008 edition). Which best describes the minimum level of protective clothing needed for dealing with this substance?
  - a) Chemical protective clothing without SCBA
  - b) Structural firefighting protective clothing without SCBA
  - c) Chemical protective clothing with positive pressure SCBA
  - d) Structural firefighting protective clothing with positive pressure SCBA
- 2) According to the Emergency Response Guidebook (2004, or 2008 edition), how should the leak be handled?
  - a) Eliminate all ignition sources
  - b) Wearing firefighter structural clothing stop leak
  - c) Material is not hazardous, leak will not do any harm
  - d) Cover with sand.
- 3) According to the Emergency Response Guidebook (2004, or 2008 edition), this product is in what hazard class?
  - a) Flammable Solid
  - b) Poisonous Gas/Inhalation Hazard
  - c) Flammable Vapor
  - d) Toxic/infectious substance
- 4) According to the Emergency Response Guidebook (2004, or 2008 edition), which best describes the appropriate action to be taken under the section dealing with EVACUATION in all directions?
  - a) 2 miles
  - b) 1 mile
  - c) ½ mile
  - d) 1/8 mile
- 5) According to the Emergency Response Guidebook (2204 or 2008 edition) under the PUBLIC SAFETY, as an immediate precautionary measure the liquid spill or leak area should be isolated for at least \_\_\_\_\_ feet in all directions.
  - a) 75 feet
  - b) 150 feet
  - c) 75 feet
  - d) 1000 feet

- According to the Emergency Response Guidebook (2004, or 2008 edition), under HEALTH, what is the potential hazard of this product?
  - a) Will not hurt skin if contacted
  - b) Inhalation, ingestion or skin contact may cause severe injury or death
  - c) Fire will produce non toxic vapors
  - d) All the above
- 7) According to the Emergency Response Guidebook (2004 or 2008 edition), under FIRST AID, what should be done to the victim first?
  - a) Do not administer oxygen
  - b) Move victim to fresh air
  - c) Keep victim cool
  - d) Flush skin and eyes for 30 minutes
- 8) According to the Emergency Response Guidebook (2004 or 2008 edition), Under FIRE, what extinguishing agent should be used on small fires?
  - a) Foam
  - b) Sand
  - c) Dry Chemical, CO<sub>2</sub> or water spray
  - d) Coal

# **PART II**

Given the following written scenario and an Emergency Response Guidebook 2004 or 2008 Edition, answer the multiple-choice questions using the provided appropriate Answer sheet.

# $\begin{array}{c} \text{Hazardous Materials Scenario} \\ \text{\#2} \end{array}$

#### For the

#### AWARENESS LEVEL

At 10:50 p.m., you are dispatched to an incident on a busy highway. Due to heavy traffic, your response is slowed. Arrival time is logged at 11:00 p.m. Upon arrival you find a tanker that is leaking. You notice this placard on the rear of the tank.



Given the situation above and using an Emergency Response Guidebook (2004, or 2008 edition), answer the following questions:

- 1) According to the Emergency Response Guidebook (2004, or 2008 edition), what is the name of the material identified on the placard?
  - a) Toxic Liquid, n.o.s.
  - b) Asphalt
  - c) Barium
  - d) Nitric Acid
- 2) According to the Emergency Response Guidebook (2004, or 2008 edition), which best describes the initial emergency action to be taken by the hazardous materials responder as indicated in the **Public Safety** section of the guide page?
  - a) Contain the product by constructing a dike around the spill.
  - b) Isolate spill or leak area for at least 150 feet in all directions.
  - c) Move immediately to the lowest point in the vicinity.
  - d) Stay downwind.
- 3) According to the Emergency Response Guidebook (2004, or 2008 edition), which best describes the HEALTH hazards associated with this product?
  - a) Runoff from fire will not cause pollution.
  - b) Liquids are lighter than water.
  - c) Contact with molten substance may cause severe burns to the skin and eyes.
  - d) Vapors may cause disorientation.
- 4) According to the Emergency Response Guidebook (2004, or 2008 edition), which best describes the appropriate action to be taken under the section dealing with **SPILL OR LEAK?** 
  - a) Do not stop leak.
  - b) Entry into waterways, sewers, basements will not pose a danger.
  - c) Flood area with water from a distance.
  - d) Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).
- 5) According to the Emergency Response Guidebook (2004, or 2008 edition), what should be done according to the FIRST AID section?
  - a) Do not move victim
  - b) Immediately flush skin or eyes for 30 minutes
  - c) Move victim to fresh air
  - d) Keep victim cool and quiet

- 6) What is the initial isolation distance for this product according to the Emergency Response Guidebook (2004 or 2008 edition)? 2004 ERG
  - a) 1000 feet
  - b) 2000 feet
  - c) 3000 feet
  - d) 3500 feet
  - 2008 ERG
  - a) 900 feet
  - b) 950 feet
  - c) 1000 feet
  - d) 1200 feet
- 7) According to the Emergency Response Guidebook (2004, or 2008 edition), what is the downwind protection distance for this product?
  - 2004 ERG
  - a) 2 miles
  - b) 3 miles
  - c) 7 miles
  - d) 8 miles
  - 2008 ERG
  - a) 2 miles
  - b) 3 miles
  - c) 3.6 miles
  - d) 4 miles
- 8) According to the Emergency Response Guidebook (2004, or 2008 edition), Under FIRE, what extinguishing agent should be used on large fires?
  - a) Dry chemical, sand
  - b) Dry chemical, CO<sub>2</sub>, alcohol resistant foam, water spray
  - c) Sand
  - d) Dry chemical

#### **PART III**

Given the Material Safety Data Sheet (MSDS), answer the following questions on

The answer sheet provided.

#### DO NOT MARK IN THIS TEST BOOKLET!

- 1. What is the hazardous ingredient associated with this product?
- 2. According to the MSDS, what is the specific gravity of this material?
- 3. According to the MSDS, what are the conditions to avoid?
  - a) Temperatures below 35°F or above 120°F
  - b) Temperatures below 38°F or above 125°F
  - c) Temperatures below 30°F or above 120°F
  - d) Temperatures below 62°F or above 120°F
- 4. According to the MSDS, what is the medical emergency number of this product?
  - a) 1-800-851-7145
  - b) 1-900-906-3737
  - c) 1-800-906-3737
  - d) 1-800-851-7000



#### MATERIAL SAFETY DATA SHEET

Page 1 of 4

#### 1. PRODUCT AND COMPANY IDENTIFICATION

NAME: LIQUID SPARKLE 'N SHINE USE: GENERAL PURPOSE CLEANER

LABEL ID: U S CHEMICAL

MSDS # 064655 CODE # 064655

US CHEMICAL, 316 HART STREET, WATERTOWN, WI 53094 USA

MEDICAL EMERGENCY #: 1-800-851-7145 EXT. 075 USA

SPILL EMERGENCY #: 1-800-424-9300 USA

PRODUCT INFORMATION #: 1-800-558-9566 (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)

INTERNET ADDRESS: WWW.uschemical.com

REVIEWED 7-9-07 REVISED 7-9-07 SECTION REVISED: 1

#### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION! MAY BE MODERATELY IRRITATING TO EYES AND SKIN.

PRINCIPLE ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.

POTENTIAL ACUTE HEALTH EFFECTS

EYES: MAY BE MODERATELY IRRITATING TO EYES.

SKIN: MAY BE MODERATELY IRRITATING TO SKIN.

INHALATION: MAY BE IRRITATING TO NOSE, THROAT AND RESPIRATORY TRACT.

INGESTION: MAY BE IRRITATING TO MOUTH, THROAT AND STOMACH. MAY CAUSE ABDOMINAL

DISCOMFORT, NAUSEA, VOMITING AND DIARRHEA.

MEDICAL CONDITIONS AGGRAVATED: PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE

MORE SUSCEPTABLE TO IRRITATING EFFECTS.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS#	% BY WT	LC50/LD50
ISOPROPYL ALCOHOL	67-63-0	BELOW 2.00	N.AV.

STATE RIGHT TO KNOW: THIS PRODUCT CONTAINS: WATER/7732-18-5, TETRASODIUM EDTA/64-02-8, AMMONIUM LAURYL SULFATE/2235-54-3, SODIUM XYLENESULFONATE/1300-72-7, COCAMIDE DEA/68603-42-9, ISOPROPYL ALCOHOL/67-63-0

#### MATERIAL SAFETY DATA SHEET

Page 1 of 4

#### 1. PRODUCT AND COMPANY IDENTIFICATION

NAME: LIQUID SPARKLE 'N SHINE

**USE:** GENERAL PURPOSE CLEANER

LABEL ID: U S CHEMICAL

MSDS # 064655 CODE # 064655

U S CHEMICAL, 316 HART STREET, WATERTOWN, WI 53094 USA

MEDICAL EMERGENCY #: 1-800-851-7145 EXT. 075 USA

SPILL EMERGENCY #: 1-800-424-9300 USA

PRODUCT INFORMATION #: 1-800-558-9566 (8 A.M. TO 5 P.M. CST MONDAY TO

FRIDAY)

INTERNET ADDRESS: www.uschemical.com

REVIEWED 7-9-07 REVISED 7-9-07 SECTION REVISED: 1

#### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION! MAY BE MODERATELY IRRITATING TO EYES AND SKIN.

PRINCIPLE ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.

POTENTIAL ACUTE HEALTH EFFECTS

EYES: MAY BE MODERATELY IRRITATING TO EYES.

**SKIN: MAY BE MODERATELY IRRITATING TO SKIN.** 

**INHALATION:** MAY BE IRRITATING TO NOSE, THROAT AND RESPIRATORY TRACT. **INGESTION:** MAY BE IRRITATING TO MOUTH, THROAT AND STOMACH. MAY CAUSE

ABDOMINAL

DISCOMFORT, NAUSEA, VOMITING AND DIARRHEA.

MEDICAL CONDITIONS AGGRAVATED: PERSONS WITH PRE-EXISTING SKIN DISORDERS

MAY BE

MORE SUSCEPTABLE TO IRRITATING EFFECTS.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT CAS # % BY WT LC50/LD50

ISOPROPYL ALCOHOL 67-63-0 BELOW 2.00 N.AV.

STATE RIGHT TO KNOW: THIS PRODUCT CONTAINS:

WATER/7732-18-5, TETRASODIUM EDTA/64-02-8, AMMONIUM LAURYL

SULFATE/2235-54-3,

SODIUM XYLENESULFONATE/1300-72-7, COCAMIDE DEA/68603-42-9, ISOPROPYL ALCOHOL/67-63-0

#### **LIQUID SPARKLE 'N SHINE MSDS # 064655**

#### 4. FIRST AID MEASURES Page 2 of 4

**EYES**: FLOOD WITH LUKEWARM (NOT HOT) WATER POURED FROM A LARGE GLASS 2 OR 3

INCHES FROM EYES. REMOVE CONTACTS. HAVE PATIENT BLINK AS MUCH AS POSSIBLE

WHILE FLOODING THE EYES. CONTINUE FOR AT LEAST 15 MINUTES.

**SKIN:** REMOVE CONTAMINATED CLOTHES, THEN FLOOD WITH WATER.

**INHALATION: MOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL** 

RESPIRATION IF PATIENT IS

NOT BREATHING.

**INGESTION:** DO NOT INDUCE VOMITING. IF PATIENT IS CONSCIOUS AND CAN SWALLOW.

ADMINISTER MILK OR WATER.

ADMINISTER FIRST AID TREATMENT AS STATED ABOVE, THEN CALL 1-800-851-7145 EXT.

075 OR CONTACT PHYSICIAN FOR FURTHER MEDICAL INSTRUCTIONS.

**NOTE TO PHYSICIAN:** CALL 1-800-851-7145 EXT. 075 FOR ASSISTANCE WITH THE MANAGEMENT OF EXPOSURES.

#### 5. FIRE-FIGHTING MEASURES

FLAMMABILITY: NO HAZARD.

FLASH POINT: N.AP.

**PRODUCTS OF COMBUSTION: SEE SECTION 10.** 

SUITABLE EXTINGUISHING MEDIA: FOR FIRES IN AREA, USE

APPROPRIATE MEDIA.

FOR EXAMPLE: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR ALCOHOL FOAM.

SPECIFIC HAZARDS: N.AP.

**SPECIFIC METHODS:** NORMAL FIRE FIGHTING PROCEDURES MAY BE

USED.

#### 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS:** SEE SECTION 8.

**SPILL RESPONSE:** EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PROPER

PROTECTIVE EQUIPMENT INCLUDING RUBBER BOOTS. VENTILATE AREA IF NEEDED. STOP LEAK IF

YOU CAN DO SO WITHOUT RISK. DIKE OR DAM LARGE SPILLS. AVOID DIRECT DISCHARGE TO

SEWER AND SURFACE WATERS. PUMP TO CONTAINER OR SOAK UP WITH NON-COMBUSTIBLE

INERT ABSORBENT MATERIALS. AFTER SPILL COLLECTION, FLUSH AREA WITH WATER AND FOLLOW

WITH NORMAL CLEAN-UP PROCEDURES. BE CAREFUL AS SPILLS ARE SLIPPERY.

#### 7. HANDLING AND STORAGE

**HANDLING:** FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT

PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INGESTION AND CONTACT WITH EYES. DO NOT TASTE OR SWALLOW.

REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE RE-USE.

PRODUCT RESIDUE MAY REMAIN ON OR IN EMPTY CONTAINERS.

HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.

**STORAGE:** ROTATE STOCK REGULARLY. KEEP CONTAINER CLOSED WHEN NOT IN USE.

AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F. PROTE CT FROM FREEZING.

STORAGE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT IS

RECOMMENDED. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF CHILDREN'S REACH.

#### **LIQUID SPARKLE 'N SHINE MSDS # 064655**

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Page 3 of 4 EXPOSURE LIMITS:

ISOPROPYL ALCOHOL = 200 PPM TWA, 400 PPM STEL (ACGIH), 400 PPM TWA (OSHA)

**ENGINEERING CONTROLS:** NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.

PERSONAL PROTECTION

**EYES:** SAFETY GLASSES WITH SIDE SHIELDS RECOMMENDED IF SPRAYING.

**HANDS:** FOR PROLONGED OR REPEATED CONTACT WITH SKIN: RUBBER GLOVES.

**RESPIRATORY:** N.AP.

FEET: N.AP. BODY: N.AP.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** GREEN

ODOR: EUCALYPTUS pH CONCENTRATE: 9.6

pH @ 2500 PPM SOLUTION: N.AP. pH @ USE DILUTION: 7.0 - 7.5 PHYSICAL STATE: LIQUID SPECIFIC GRAVITY: 1.026 VISCOSITY: NON-VISCOUS BOILING POINT: N.AP. MELTING POINT: N.AP.

UEL: N.AP. LEL: N.AP.

FLASH POINT: N.AP.

EVAPORATION RATE: N.AP.
ODOR THRESHOLD: N.AP
VAPOR PRESSURE: N.AP
VAPOR DENSITY: N. AP.
COEFF. OIL/WATER: N.AP.

**WATER SOLUBILITY: COMPLETE** 

OTHER: N.AP.

#### 10. STABILITY AND REACTIVITY

STABLE: YES

CONDITIONS TO AVOID: AVOID TEMPERATURES BELOW 35°F OR ABOVE

120°F.

MATERIALS TO AVOID: AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING

PRODUCT. AVOID OXIDIZING AGENTS. MIX ONLY WITH WATER.

**DECOMPOSITION PRODUCTS:** FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY

PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.

POSSIBILITY OF HAZARDOUS REACTIONS: N.AP.

#### 11. TOXICOLOGICAL INFORMATION

**ACUTE EFFECTS:** SEE SECTION 2.

**CHRONIC EFFECTS:** NONE KNOWN. NO REPORTABLE CARCINOGENS, MUTAGENS.

SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.

**LC50/LD50:** N.AV.

TARGET ORGANS: EYES, SKIN, RESPIRATORY SYSTEM.

OTHER TOXIC EFFECTS: NONE KNOWN.

#### **LIQUID SPARKLE 'N SHINE MSDS # 064655**

#### 12. ECOLOGICAL INFORMATION Page 4 of 4

NOT AVAILABLE.

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL

LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR

RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. MANAGE CHEMICAL WASTES

THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY

CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE

DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY

CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

#### 14. TRANSPORT INFORMATION

**DOT/TDG: NOT REGULATED** 

DOT RQ: N.AP.
DOT ERG #: N.AP.

#### 15. REGULATORY INFORMATION

EPA CERCLA RQ: N.AP. EPA REGISTERED: NO

**EPA %VOC:** 1.70

**EPA VOC RULE: PRODUCT COMPLIES WITH THE EPA VOC EMISSIONS** 

STANDARD.

**OSHA HAZARDOUS:** YES

**PHOSPHORUS CONTENT: 0.00%** 

PROPOSITION 65: N.AP.

SARA 311/312 HAZARDS: ACUTE SARA 313 CHEMICALS: N.AP.

STATE RIGHT TO KNOW: SEE SECTION 3 FOR STATE RTK CHEMICAL

NAMES.

TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON THE

INVENTORY.

WHMIS CLASS: D-2B

#### 16. OTHER INFORMATION

NFPA RATING: HEALTH-2/FLAMMABILITY-0/REACTIVITY-0/SPECIAL HAZARD-

N.AP.

HMIS RATING: HEALTH-2/FLAMMABILITY-0/REACTIVITY-0/PERSONAL

PROTECTION-SEE 8.0

N.AV. = NOT AVAILABLE N.AP. = NOT APPLICABLE PREPARED BY: HEALTH AND

SAFETY

#### NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY

RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY

OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE

BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE

INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL

FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.

#### **PART IV**

Given the Shipping paper, answer the following questions on the answer sheet provided.

#### DO NOT MARK IN THIS TEST BOOKLET!

- 1. According to this shipping paper, what is the name of the material being transported that is a hazardous material?
- 2. List only two reasons, shown on the shipping paper that verifies that the material is hazardous
- 3. What is the trailer number according to the shipping papers?
- 4. What is the total weight of the hazardous materials being shipped?

#### **Practice Test HAZA**

ABC FREIGHT SYSTEM INC. 2121 Box 10021 FORT PAYNE, AL 70132				678543 Shippers Bill of Lading No.					
	800-525-8000	ARCS					-2008 Reference/PO	No	
800-525-8000 ABCS On "Collect On Delivery", the letters "COD" must appear before the consignee's name or as otherwise provided in item 430.Sec.1				Consignee's Reference/PO No.  Trailer Number: Date: 12345612 08/01/2008					
O: WORLD	S CHEMICALS I	PRO			ROUTE: On File				
reet: 1234 E.	W. Main Street				Special Instructions				
	02 Broken Twig D Belmont, Georgia								
21 Box 10021 ORT PAYNE,				Name:	, Send Bill To: Amos McCoy 102 Broken Twig D Belmont, Georgia 3	30233			
				y. Consignee telep	hone:			C1. '	
ollect on De	livery \$			_ and remit to_				Shi	ipper
				City	S1	ate	C.O.D. of to be pa		
igned					<del></del>		to be pu	Consi	gnee
arriar must call	aat aash manay ara	dar bank	anghiar's abaals	or bank cartified a	neck unless shipper sign	s hara ta aaaa	nt aamnany ak	and:	
dlg Units No.	Packages	*	Kind of packag	ge, description of ar	ticles, special marks and		Weight	Class or Rate	
Type	No. Type	НМ	exceptions (Su	bject to correction)			Subject to Correction	Ref. (For Info	
	10						(LBS)	Only)	
3 Cases	12	XX	Dromino		XIC-	T	312 LBS		
30 Cases			Potassium		, UN2901, PGII	1	3,000		
30 Cases		1					LBS 3,000		
			Sodium B	sicarbonate			LBS		
* Moult "V" t	o designate Hazard	laus Mata	miala aa dafimad i	n DOT recordations					
NOTE (1) W		endent on	value, shippers	are required to state	specifically				
				state by the shippe _per					
NOTE (2	2) Liability L	imitati	on for loss	or damage or	n this shipment	may be			
,	ole. See 49 U			_	ir tims simplificate	may oc			
11			` / `						
					wing must be so marked be of NMFC Item 360.	i			
Notify if prob	olem enroute or at o	lelivery: _	NAME		Fax No.	Tel. I	No.		
Shipper									
Per (Signatur	re Required)								
Carrier -	ABC FREIGHT S	SYSTEM	LINC						
	ture Only Acknow			nt		Date:			

## Hazardous Materials Responder Awareness Level Performance Evaluation Answer Sheet

# PASS FAIL

Name:			Retest: (Yes) (No) Date:				
Test Booklet Number:		Social Security #:					
Tes	t Locati	ion:					
PA]	RT I						
1)	OA	O <b>B</b>	O <b>C</b>	O <b>D</b>			
,	OA	O <b>B</b>	O <b>C</b>	O <b>D</b>			
_	OA	O <b>B</b>	O C	O <b>D</b>			
<b>4</b> )	O <b>A</b>	O <b>B</b>	O <b>C</b>	O <b>D</b>			
PA]	RT II						
1)	OA	OB	O <b>C</b>	O <b>D</b>			
2)	OA	O <b>B</b>	O <b>C</b>	O <b>D</b>			
<b>3</b> )	OA	O <b>B</b>	O <b>C</b>	O D			
<b>4</b> )	OA	O <b>B</b>	O <b>C</b>	O <b>D</b>			
PA]	RT III	( <u>Spelli</u>	ing musi	t be corr	ect and	writing legible)	
	1)						
	2)	_					
	3)	O <b>A</b>	O <b>B</b>	0 <b>C</b>	O <b>D</b>		
	<b>4</b> )	O A	O <b>B</b>	O <b>C</b>	O <b>D</b>		
PA	RT IV	(Spelling must be correct and writing legible)					
	1) _						
	2) _						
	3)						
	4)						

Part I

C

A

D

C

Part II

Α

В

C

D

Part III

ISOPROPYL ALCOHOL

1.026

A

A

Part IV

Bromine Chloride

XX 6.1 UN2901 PGIII

12345612

312 pounds